

Citizen Consumables Program

Labels & Ribbons Packs



Simple!


- Sets of labels & ribbons
- Intuitive web platform for ordering
- Application oriented products
- Lean logistics

Professional!

- Selection of experience based materials
- Quality oriented products
- Unique product's features
- B2B internet platform

CITIZEN
Micro HumanTech

perfect for...



Doc Pack



purpose:

marking of documents and file folders,
small boxes, shipping and address
labelling

recommended printers:


CL-S621; CL-E720



DOC PACK

symbol	name	labels				ribbon	
		material	color	size [mm]	labels/box		
P4-10101	P4-10101 DOC PACK 32x20	PAPER	SEMI GLOSS WHITE	32x20	79800	STANDARD	
P4-10102	P4-10102 DOC PACK 40x25	PAPER	SEMI GLOSS WHITE	40x25	65400	STANDARD	
P4-10103	P4-10103 DOC PACK 50x30	PAPER	SEMI GLOSS WHITE	50x30	37200	STANDARD	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 SELF-ADHESIVE	 50-100µ	 STRONG	 OUT	 ROLL 127/40	 GAP	 +70°C

Box Pack



purpose:

marking cardboards and boxes;
shipping and address labelling

recommended printers:

CL-S621; CL-E720; CL-S700



BOX PACK

symbol	name	labels				ribbon	
		material	color	size [mm]	labels/box		
P4-10104	P4-10104 BOX PACK 60x40	PAPER	SEMI GLOSS WHITE	60x40	28000	STANDARD	
P4-10105	P4-10105 BOX PACK 74x50	PAPER	SEMI GLOSS WHITE	74x50	17100	STANDARD	
P4-10106	P4-10106 BOX PACK 100x59	PAPER	SEMI GLOSS WHITE	100x59	9600	STANDARD	
P4-10107	P4-10107 BOX PACK 100x99	PAPER	SEMI GLOSS WHITE	100x99	5800	STANDARD	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 SELF-ADHESIVE	 50-100μ	 STRONG	 OUT	 ROLL 127/40	 GAP	 +70°C

PALLET PACK							
symbol	name	labels				ribbon	
		material	color	size [mm]	labels/box		
P4-10208	P4-10208 PALLET PACK 105x148	PAPER	SEMI GLOSS WHITE	105x148	4000	BLEND	
P4-10209	P4-10209 PALLET PACK 74x210	PAPER	SEMI GLOSS WHITE	74x210	5520	BLEND	
P4-10210	P4-10210 PALLET PACK 148x210	PAPER	SEMI GLOSS WHITE	148x210	2760	BLEND	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 PERFO	 50-100µ	 STRONG	 X	 FANFOLD	 GAP	 +70°C
P4-17204	P4-17204 PALLET PACK 105x148	PP	GLOSSY WHITE	105x148	2000	BLEND	
P4-17205	P4-17205 PALLET PACK 148x210	PP	GLOSSY WHITE	148x210	1380	BLEND	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 PERFO	 50-100µ	 STRONG	 X	 FANFOLD	 GAP	 WATER +70°C



purpose:

recommended printers:

Pallet Pack



GS1 labels and ODETTE labels; pallets and bulks

CL-S621; CL-S700; CL-S6621; CL-E720

SHELF PACK							
symbol	name	labels				ribbon	
		material	color	size	rolls/box		
P4-12301	P4-12301 SHELF PACK 70x38m	PET	GLOSSY SILVER	70x38m	1	RESIN	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 END LESS	 RETRO REFL	 OVER 100µ	 STANDARD	 OUT	 ROLL 127/40	 NONE	 CHEMICALS WATER +150°C
P4-17306	P4-17306 SHELF PACK 70x75m	PP	GLOSSY WHITE	70x75m	2	RESIN	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 END LESS	 SELF-ADHESIVE	 50-100µ	 STANDARD	 OUT	 ROLL 127/40	 NONE	 WATER +70°C



purpose:

recommended printers:


Shelf Pack



marking of storage shelves and racks; special Retro Reflective labels are used, which can be scanned from longer distance

CL-S and CL-E series printers with cutter

Rating Pack



purpose:

recommended printers:



rating plates, information plates, circuit diagrams for marking devices and production parts


CL-S631; CL-E730; CL-S703

Inventory Pack



purpose:

recommended printers:



permanent marking of fixed assets for inventory
CL-S631; CL-E730; CL-S703;

RATING PACK

symbol	name	labels				ribbon size [mm] labels/box
			material	color		
P4-15301	P4-15301 RATING PACK 32x20	PET	MATT SILVER	32x20	26600	RESIN
P4-15302	P4-15302 RATING PACK 40x25	PET	MATT SILVER	40x25	21800	RESIN
P4-15303	P4-15303 RATING PACK 50x30	PET	MATT SILVER	50x30	18600	RESIN
P4-15304	P4-15304 RATING PACK 60x40	PET	MATT SILVER	60x40	7000	RESIN
P4-15305	P4-15305 RATING PACK 74x50	PET	MATT SILVER	74x50	5700	RESIN
P4-15306	P4-15306 RATING PACK 100x59,5	PET	MATT SILVER	100x59,5	4800	RESIN

SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 SELF-ADHESIVE	 UP TO 50μ	 STANDARD	 OUT	 ROLL 127/40	 GAP	 CHEMICALS WATER +150°C
P4-18301	P4-18301 RATING PACK 32x20		PET	SEMI GLOSS WHITE		32x20 26600	RESIN
P4-18302	P4-18302 RATING PACK 40x25		PET	SEMI GLOSS WHITE		40x25 21800	RESIN
P4-18303	P4-18303 RATING PACK 50x30		PET	SEMI GLOSS WHITE		50x30 18600	RESIN
P4-18304	P4-18304 RATING PACK 60x40		PET	SEMI GLOSS WHITE		60x40 7000	RESIN
P4-18305	P4-18305 RATING PACK 74x50		PET	SEMI GLOSS WHITE		74x50 5700	RESIN
P4-18306	P4-18306 RATING PACK 100x59,5		PET	SEMI GLOSS WHITE		100x59,5 4800	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 SELF-ADHESIVE	 UP TO 50μ	 STANDARD	 OUT	 ROLL 127/40	 GAP	 CHEMICALS WATER +100°C

INVENTORY PACK

INVENTORY PACK							
symbol	name	labels				ribbon	
		material	color	size [mm]	labels/box		
P4-11301	P4-11301 INVENTORY PACK 50x30	PVC	SEMI MATT WHITE	50x30	4650	RESIN	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 DESTR	 UP TO 50µ	 STANDARD	 OUT	 ROLL 127/40	 GAP	 CHEMICALS WATER +70°C

SECURE PACK						
symbol	name	labels				ribbon
		material	color	size [mm]	labels/box	
P4-13301	P4-13301 SECURE PACK 30x11	PET	GLOSSY WHITE	30x11	11100	RESIN
P4-13302	P4-13302 SECURE PACK 45x18	PET	GLOSSY WHITE	45x18	7250	RESIN
P4-13303	P4-13303 SECURE PACK 50x30	PET	GLOSSY WHITE	50x30	4650	RESIN
P4-13304	P4-13304 SECURE PACK 72x12	PET	GLOSSY WHITE	72x12	10300	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR
RECTANGLE	VOID	50-100µ	STANDARD	OUT	ROLL 127/40	GAP
P4-13305	P4-13305 SECURE PACK Ø25	PET	GLOSSY WHITE	Ø25	4900	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR
CIRCLE	VOID	50-100µ	STANDARD	OUT	ROLL 127/40	GAP
P4-14301	P4-14301 SECURE PACK 30x11	PET	MATT SILVER	30x11	11100	RESIN
P4-14302	P4-14302 SECURE PACK 45x18	PET	MATT SILVER	45x18	7250	RESIN
P4-14303	P4-14303 SECURE PACK 50x30	PET	MATT SILVER	50x30	4650	RESIN
P4-14304	P4-14304 SECURE PACK 72x12	PET	MATT SILVER	72x12	10300	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR
RECTANGLE	VOID	50-100µ	STANDARD	OUT	ROLL 127/40	GAP
P4-14305	P4 14305 SECURE PACK Ø25	PET	MATT SILVER	Ø25	4900	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR
CIRCLE	VOID	50-100µ	STANDARD	OUT	ROLL 127/40	GAP
P4-19301	P4-19301 SECURE PACK 30x11	PE	MATT WHITE	30x11	8200	RESIN
P4-19302	P4-19302 SECURE PACK 45x18	PE	MATT WHITE	45x18	5400	RESIN
P4-19303	P4-19303 SECURE PACK 50x30	PE	MATT WHITE	50x30	3400	RESIN
P4-19304	P4-19304 SECURE PACK 72x12	PE	MATT WHITE	72x12	7600	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR
RECTANGLE	DESTR	OVER 100µ	STANDARD	OUT	ROLL 127/40	GAP
P4-19305	P4-19305 SECURE PACK f125	PE	MATT WHITE	?25	4000	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR
CIRCLE	DESTR	OVER 100µ	STANDARD	OUT	ROLL 127/40	GAP



Secure Pack




purpose:

permanent markings (of products, devices, elements), which cannot be entirely peeled off and applied to another spot

recommended printers:


CL-S631; CL-E730; CL-S703

Cable Pack



purpose:

recommended printers:




marking cables and cable harnesses

CL-S621; CL-S631

CABLE PACK

symbol	name	labels				ribbon	
		material	color	size [mm]	labels/box		
P4-20301	P4-20301 CABLE PACK 12,7x36,5	PO	GLOSSY TRANSPARENT	12,7x36,5	43800	RESIN	
P4-20302	P4-20302 CABLE PACK 25,4x36,5	PO	GLOSSY TRANSPARENT	25,4x36,5	29200	RESIN	
P4-20303	P4-20303 CABLE PACK 25,4x57,2	PO	GLOSSY TRANSPARENT	25,4x57,2	19600	RESIN	
P4-20304	P4-20304 CABLE PACK 25,4x95,3	PO	GLOSSY TRANSPARENT	25,4x95,3	11600	RESIN	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 BAND	 50-100µ	 STANDARD	 OUT	 ROLL 127/40	 MARK	 WATER  +100°C
P4-21301	P4-21301 CABLE PACK 25,4x95,3	PP	MATT WHITE	25,4x95,3	11600	RESIN	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 FLAG	 50-100µ	 STANDARD	 OUT	 ROLL 127/40	 GAP	 CHEMICALS  WATER  +100°C

PCB Pack



purpose:

recommended printers:



marking of labels applied directly to the printed circuit board utilizing flow or re-flow soldering

CL-S631; CL-E730; CL-S703;

PCB PACK

symbol	name	labels				ribbon	
		material	color	size [mm]	labels/box		
P4-16301	P4-16301 PCB PACK 30x8	PI	MATT WHITE	30x8	4500	RESIN	
P4-16302	P4-16302 PCB PACK 8x8	PI	MATT WHITE	8x8	4500	RESIN	
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR	RESISTANCE
 RECTANGLE	 SELF-ADHESIVE	 50-100μ	 STRONG	 OUT	 ROLL 127/40	 GAP	 CHEMICALS  WATER  +350°C


CHEM PACK						
symbol	name	labels				
		material	color	size [mm]	labels/box	
P4-17302	P4-17302 CHEM PACK 74x50	PP	GLOSSY WHITE	74x50	11400	RESIN
P4-17303	P4-17303 CHEM PACK 74x105	PP	GLOSSY WHITE	74x105	5520	RESIN
P4-17304	P4-17304 CHEM PACK 105x148	PP	GLOSSY WHITE	105x148	2000	RESIN
P4-17305	P4-17305 CHEM PACK 148x210	PP	GLOSSY WHITE	148x210	1380	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR
RECTANGLE	PERFO	50-100µ	STRONG	X	FANFOLD	GAP
						CHEMICALS WATER +70°C



purpose:

recommended printers:

Chem Pack



marking of packages with chemical substances; resistance to chemical agents

all CL-S and CL-E series printers can be used; CL-S6621 for wider formats

GARDEN PACK						
symbol	name	labels				ribbon
		material	color	size [mm]	labels/box	
P4-22301	P4-22301 GARDEN PACK 15x209,55	PCV	GLOSSY WHITE	15x209,55	6000	RESIN
P4-22302	P4-22302 GARDEN PACK 25x215,9	PCV	GLOSSY WHITE	25x215,9	4000	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR
LOOP	PERFO	over 100µ	NO GLUE	OUT	ROLL 127/40	GAP
						WATER +70°C
P4-23301	P4-23301 GARDEN PACK 104x18	PCV	GLOSSY WHITE	104x18	9200	RESIN
P4-23302	P4-23302 GARDEN PACK 114x24	PCV	GLOSSY WHITE	114x24	7000	RESIN
SHAPE	TYPE	THICKNESS	ADHESIVE	WINDING	PRESENTATION	MEDIA SENSOR
ARROW	PERFO	over 100µ	NO GLUE	OUT	ROLL 127/40	GAP
						WATER +70°C



purpose:

recommended printers:

Garden Pack



for nurseries, plant growers, garden ships and botanical gardens to mark houseplants, trees, shrubs
all CL-S and CL-E series printers

Citizen Consumables Program

Labels & Ribbons Packs perfect for

logistics

Shelf Pack	Pallet Pack	Box Pack	Doc Pack	Inventory Pack				

electric & electronics

Rating Pack	Cable Pack	PCB Pack	Shelf Pack	Inventory Pack	Secure Pack	Doc Pack	Box Pack	Pallet Pack

chemistry & laboratory

Chem Pack	Secure Pack	Inventory Pack	Doc Pack	Box Pack	Pallet Pack	Shelf Pack		

food

Box Pack	Doc Pack	Pallet Pack	Inventory Pack					

gardening

Garden Pack	Box Pack	Doc Pack	Pallet Pack	Inventory Pack				

CITIZEN SYSTEMS EUROPE GmbH
Otto-Hirsch-Brücken 17
70329 Stuttgart
Germany
Tel.: +49 (0)711/49032-0

UK BRANCH OFFICE
Elizabeth House, 56-60 London Road
Staines-Upon-Thames, TW18 4HF
United Kingdom
Tel.: +44 (0)20 8893 1900

CITIZEN

Micro HumanTech

Choosing and ordering printer consumables is now easier for resellers and distributors than ever before thanks to our Citizen Consumables Program.

Here are five key reasons to take advantage of the Citizen Consumables Program:

- Effortlessly choose between many different Citizen label packs, which are specifically designed for use in logistics and warehousing, chemical and laboratory, electronics, and food
- Printer media packs are optimised so that the perfect number of ribbons are delivered to print a pre-specified number of labels, minimising waste for end users
- Labels are available from a single, trusted source at attractive and competitive prices
- Order printer media 24/7 via an easy to navigate online platform, with every order delivered on time and to specification
- Printer media of a higher value is offered in smaller packs to keep costs favourable to the user and prevent wastage.

Consumables from Citizen are tested and optimised to meet the needs of Citizen printers. This ensures printers deliver exceptional performance on a consistent basis and guarantees longer printer life - boosting cost-efficiency and reliability to bring greater peace of mind to users.